

L1 STRUCTURE UPLOADED

=> S L1 fam full

FULL SEARCH INITIATED 08:24:13 FILE 'REGISTRY'

FULL SCREEN SEARCH COMPLETED - 3 TO ITERATE

100.0% PROCESSED 3 ITERATIONS

1 ANSWERS


SEARCH TIME: 00.00.01

L2 1 SEA FAM FUL L1

=> D L1

L1 HAS NO ANSWERS

L1 STR



Structure attributes must be viewed using STN Express query preparation.

=> D L2

L2 ANSWER 1 OF 1 REGISTRY COPYRIGHT 2007 ACS on STN

RN 850734-49-5 REGISTRY


ED Entered STN: 19 May 2005

CN Propanamide, N-[7-(4-methoxyphenyl)[1,2,4]triazolo[1,5-a]pyrimidin-2-yl]-3-(phenylsulfonyl)- (CA INDEX NAME)

MF C21 H19 N5 O4 S

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT

1 REFERENCES IN FILE CA (1907 TO DATE)
1 REFERENCES IN FILE CAPLUS (1907 TO DATE)

=> file caplus
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
70.55	70.76

FULL ESTIMATED COST

FILE 'CAPLUS' ENTERED AT 08:24:46 ON 28 NOV 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 28 Nov 2007 VOL 147 ISS 23
FILE LAST UPDATED: 27 Nov 2007 (20071127/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>


=> s L2
L3

1 L2

=> D L3 ibib abs kwic hitstr

L4 STRUCTURE UPLOADED

=> D L4
L4 HAS NO ANSWERS
L4 STR



Structure attributes must be viewed using STN Express query preparation.

```
=> s L4 sss full
FULL SEARCH INITIATED 08:29:20 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      6 TO ITERATE
```

```
100.0% PROCESSED          6 ITERATIONS          1 ANSWERS
SEARCH TIME: 00.00.01
```

```
L5          1 SEA SSS FUL L4
```